

**Aggreko Cooling Tower Services Tower Model AG12-1
70 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	3121	2563	2238	2023	1868	1746	1645	1564	1498	1439	1383	1334	1290	1262	1217	1184	1156			
5	3631	2885	2521	2281	2099	1968	1858	1768	1692	1623	1564	1509	1472	1428	1383	1356	1312	1279	1262	
6	4122	3223	2785	2521	2323	2174	2055	1946	1868	1792	1735	1678	1623	1586	1542	1509	1461	1428	1394	
7		3590	3040	2744	2532	2366	2228	2121	2034	1957	1890	1825	1779	1724	1689	1656	1601	1564	1531	
8		3946	3335	2963	2736	2553	2407	2291	2185	2110	2034	1979	1914	1868	1814	1779	1735	1692	1667	
9			3621	3203	2922	2736	2572	2460	2355	2260	2185	2110	2055	1991	1946	1903	1858	1814	1790	
10			3913	3448	3121	2915	2754	2614	2500	2407	2323	2249	2185	2121	2077	2023	1989	1935	1903	
11				3692	3346	3080	2887	2764	2656	2553	2460	2375	2313	2260	2196	2153	2099	2055	2012	
12				3942	3560	3284	3070	2926	2795	2684	2593	2511	2439	2375	2323	2270	2217	2174	2131	
13					3784	3478	3254	3070	2922	2826	2726	2645	2561	2500	2439	2375	2334	2281	2238	
14						3682	3437	3233	3080	2952	2854	2764	2684	2624	2563	2490	2449	2396	2355	
15							3621	3407	3244	3091	2983	2895	2816	2747	2663	2614	2563	2500	2460	
16								3590	3407	3254	3121	3009	2922	2854	2785	2726	2663	2614	2561	
17									3570	3407	3274	3152	3050	2973	2905	2833	2775	2726	2663	
18										3570	3417	3295	3182	3091	3009	2942	2885	2837	2775	
19		Gallons Per Minute Capacity									3723	3570	3437	3325	3223	3142	3050	2993	2932	2885
20											3723	3590	3468	3366	3274	3182	3111	3040	2983	

**Aggreko Cooling Tower Services Tower Model AG12-1
74 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	3378	2775	2423	2190	2022	1890	1780	1693	1622	1557	1497	1444	1396	1366	1318	1281	1251			
5	3930	3122	2729	2469	2272	2130	2011	1914	1831	1756	1693	1633	1593	1545	1497	1468	1420	1384	1366	
6	4461	3489	3014	2729	2514	2353	2225	2106	2022	1940	1878	1816	1756	1717	1669	1633	1581	1545	1509	
7		3886	3290	2969	2740	2560	2411	2295	2201	2118	2046	1975	1925	1866	1828	1792	1733	1693	1657	
8		4271	3610	3207	2962	2763	2605	2480	2365	2284	2201	2142	2071	2022	1964	1925	1878	1831	1804	
9			3919	3467	3162	2962	2784	2662	2549	2446	2365	2284	2225	2155	2106	2060	2011	1964	1937	
10			4235	3732	3378	3156	2981	2829	2706	2605	2514	2434	2365	2295	2248	2190	2153	2095	2060	
11				3996	3621	3334	3124	2992	2874	2763	2662	2571	2503	2446	2377	2330	2272	2225	2178	
12				4267	3853	3555	3323	3167	3026	2905	2806	2718	2639	2571	2514	2457	2400	2353	2307	
13					4096	3765	3522	3323	3162	3059	2950	2863	2772	2706	2639	2571	2526	2469	2423	
14						3985	3720	3500	3334	3195	3089	2992	2905	2840	2775	2695	2651	2594	2549	
15							3919	3687	3511	3345	3229	3133	3048	2973	2883	2829	2775	2706	2662	
16								3886	3687	3522	3378	3257	3162	3089	3014	2950	2883	2829	2772	
17									3864	3687	3544	3411	3301	3218	3144	3066	3003	2950	2883	
18										3864	3698	3566	3444	3345	3257	3184	3122	3070	3003	
19		Gallons Per Minute Capacity									4030	3864	3720	3599	3489	3400	3301	3240	3173	3122
20											4030	3886	3754	3643	3544	3444	3367	3290	3229	

**Aggreko Cooling Tower Services Tower Model AG12-1
78 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	3672	3016	2633	2380	2198	2054	1935	1840	1763	1693	1628	1570	1517	1485	1432	1393	1360			
5	4272	3394	2966	2684	2470	2315	2185	2080	1990	1909	1840	1776	1732	1680	1628	1596	1543	1504	1485	
6	4849	3792	3276	2966	2733	2558	2418	2290	2198	2109	2042	1974	1909	1866	1814	1776	1719	1680	1641	
7		4224	3576	3228	2979	2783	2621	2495	2393	2302	2224	2147	2093	2029	1987	1948	1883	1840	1801	
8		4643	3924	3485	3219	3003	2832	2696	2571	2482	2393	2328	2251	2198	2134	2093	2042	1990	1961	
9			4260	3768	3437	3219	3026	2894	2771	2658	2570	2482	2418	2342	2290	2239	2185	2134	2106	
10			4603	4056	3672	3430	3240	3075	2942	2832	2733	2646	2571	2495	2443	2380	2340	2277	2239	
11				4344	3936	3624	3396	3252	3124	3003	2894	2795	2721	2658	2583	2533	2470	2418	2367	
12				4638	4188	3864	3612	3442	3289	3158	3050	2954	2869	2795	2733	2671	2608	2558	2507	
13					4452	4092	3828	3612	3437	3325	3207	3112	3014	2942	2869	2795	2746	2683	2633	
14						4332	4044	3804	3624	3473	3357	3252	3158	3087	3016	2929	2881	2819	2771	
15							4260	4008	3816	3636	3509	3406	3313	3231	3133	3075	3016	2942	2894	
16								4224	4008	3828	3672	3540	3437	3357	3276	3207	3133	3075	3014	
17									4200	4008	3852	3708	3588	3497	3418	3333	3264	3207	3133	
18										4200	4020	3876	3744	3636	3540	3461	3394	3337	3264	
19		Gallons Per Minute Capacity									4380	4200	4044	3912	3792	3696	3588	3522	3449	3394
20											4380	4224	4080	3960	3852	3744	3660	3576	3509	

**Aggreko Cooling Tower Services Tower Model AG12-1
82 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	4002	3287	2870	2594	2396	2239	2109	2006	1921	1845	1774	1711	1654	1618	1561	1518	1482			
5	4656	3699	3233	2925	2692	2523	2382	2267	2169	2081	2006	1935	1888	1831	1774	1739	1682	1640	1618	
6	5286	4133	3571	3233	2979	2788	2636	2496	2396	2298	2225	2151	2081	2034	1978	1935	1873	1831	1788	
7		4604	3898	3518	3247	3034	2857	2719	2608	2510	2424	2340	2281	2211	2165	2123	2053	2006	1964	
8		5061	4277	3799	3509	3274	3087	2938	2802	2706	2608	2537	2454	2396	2326	2281	2225	2169	2137	
9			4643	4107	3746	3509	3298	3154	3020	2898	2802	2706	2636	2553	2496	2440	2382	2326	2295	
10			5017	4421	4002	3739	3531	3352	3206	3087	2979	2884	2802	2719	2663	2594	2551	2482	2440	
11				4735	4290	3950	3702	3545	3405	3274	3154	3046	2965	2898	2816	2761	2692	2636	2580	
12				5055	4565	4212	3937	3752	3585	3442	3325	3220	3127	3046	2979	2911	2843	2788	2733	
13					4853	4460	4173	3937	3746	3624	3495	3392	3285	3206	3127	3046	2993	2925	2870	
14						4722	4408	4146	3950	3786	3659	3545	3442	3365	3287	3193	3141	3073	3020	
15							4643	4369	4159	3963	3825	3712	3611	3522	3415	3352	3287	3206	3154	
16								4604	4369	4173	4002	3859	3746	3659	3571	3495	3415	3352	3285	
17									4578	4369	4199	4042	3911	3812	3725	3633	3558	3495	3415	
18										4578	4382	4225	4081	3963	3859	3773	3699	3638	3558	
19		Gallons Per Minute Capacity									4774	4578	4408	4264	4133	4029	3911	3838	3760	3699
20											4774	4604	4447	4316	4199	4081	3989	3898	3825	

**Aggreko Cooling Tower Services Tower Model AG10-1
70 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	2601	2136	1865	1686	1557	1455	1371	1304	1248	1199	1153	1112	1075	1052	1015	987	963			
5	3026	2404	2101	1901	1749	1640	1548	1473	1410	1352	1304	1258	1227	1190	1153	1130	1093	1065	1052	
6	3435	2686	2321	2101	1936	1812	1713	1622	1557	1494	1446	1398	1352	1322	1285	1258	1217	1190	1162	
7		2992	2533	2286	2110	1971	1856	1767	1695	1631	1575	1521	1482	1437	1407	1380	1334	1304	1276	
8		3289	2780	2469	2280	2127	2006	1909	1821	1758	1695	1649	1595	1557	1512	1482	1446	1410	1389	
9			3018	2669	2435	2280	2143	2050	1962	1883	1821	1758	1713	1659	1622	1586	1548	1512	1492	
10			3261	2873	2601	2430	2295	2178	2084	2006	1936	1874	1821	1767	1731	1686	1658	1613	1586	
11				3077	2788	2567	2406	2304	2213	2127	2050	1979	1927	1883	1830	1794	1749	1713	1677	
12				3285	2967	2737	2559	2438	2329	2237	2161	2092	2032	1979	1936	1892	1848	1812	1776	
13					3154	2899	2712	2559	2435	2355	2272	2204	2135	2084	2032	1979	1945	1901	1865	
14						3069	2865	2695	2567	2460	2378	2304	2237	2187	2136	2075	2041	1997	1962	
15							3018	2839	2703	2576	2486	2412	2347	2289	2220	2178	2136	2084	2050	
16								2992	2839	2712	2601	2508	2435	2378	2321	2272	2220	2178	2135	
17									2975	2839	2729	2627	2542	2477	2421	2361	2312	2272	2220	
18										2975	2848	2746	2652	2576	2508	2452	2404	2364	2312	
19		Gallons Per Minute Capacity									3103	2975	2865	2771	2686	2618	2542	2494	2443	2404
20											3103	2992	2890	2805	2729	2652	2593	2533	2486	

**Aggreko Cooling Tower Services Tower Model AG10-1
74 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	2815	2312	2019	1825	1685	1575	1484	1411	1351	1298	1248	1203	1163	1138	1098	1068	1042			
5	3275	2602	2274	2057	1893	1775	1675	1595	1526	1464	1411	1361	1328	1288	1248	1223	1183	1153	1138	
6	3718	2907	2512	2274	2095	1961	1854	1755	1685	1617	1565	1513	1464	1431	1391	1361	1318	1288	1258	
7		3238	2742	2475	2284	2134	2009	1913	1834	1765	1705	1646	1605	1555	1523	1493	1444	1411	1381	
8		3559	3008	2672	2468	2303	2171	2067	1971	1903	1834	1785	1726	1685	1636	1605	1565	1526	1503	
9			3266	2889	2635	2468	2320	2219	2124	2038	1971	1903	1854	1796	1755	1716	1675	1636	1614	
10			3529	3110	2815	2630	2484	2358	2255	2171	2095	2029	1971	1913	1873	1825	1794	1746	1716	
11				3330	3018	2778	2604	2493	2395	2303	2219	2142	2086	2038	1980	1942	1893	1854	1815	
12				3556	3211	2962	2769	2639	2521	2421	2339	2265	2200	2142	2095	2048	2000	1961	1922	
13					3413	3137	2935	2769	2635	2549	2459	2386	2310	2255	2200	2142	2105	2057	2019	
14						3321	3100	2916	2778	2663	2574	2493	2421	2367	2312	2246	2209	2161	2124	
15							3266	3073	2926	2788	2691	2611	2540	2477	2402	2358	2312	2255	2219	
16								3238	3073	2935	2815	2714	2635	2574	2512	2459	2402	2358	2310	
17									3220	3073	2953	2843	2751	2681	2620	2555	2503	2459	2402	
18										3220	3082	2972	2870	2788	2714	2654	2602	2559	2503	
19		Gallons Per Minute Capacity									3358	3220	3100	2999	2907	2834	2751	2700	2644	2602
20											3358	3238	3128	3036	2953	2870	2806	2742	2691	

**Aggreko Cooling Tower Services Tower Model AG10-1
78 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	3060	2513	2195	1983	1832	1712	1613	1534	1469	1411	1356	1308	1264	1237	1194	1161	1133			
5	3560	2828	2472	2236	2058	1929	1821	1733	1659	1591	1534	1480	1443	1400	1356	1330	1286	1254	1237	
6	4041	3160	2730	2472	2278	2132	2015	1908	1832	1757	1701	1645	1591	1555	1512	1480	1432	1400	1367	
7		3520	2980	2690	2482	2319	2184	2079	1994	1919	1853	1789	1744	1691	1656	1623	1570	1534	1501	
8		3869	3270	2904	2683	2503	2360	2246	2142	2069	1994	1940	1876	1832	1779	1744	1701	1659	1634	
9			3550	3140	2864	2683	2522	2412	2309	2215	2142	2069	2015	1952	1908	1866	1821	1779	1755	
10			3836	3380	3060	2858	2700	2563	2451	2360	2278	2205	2142	2079	2036	1983	1950	1897	1866	
11				3620	3280	3020	2830	2710	2604	2503	2412	2329	2267	2215	2153	2111	2058	2015	1973	
12				3865	3490	3220	3010	2868	2741	2632	2542	2462	2391	2329	2278	2226	2174	2132	2090	
13					3710	3410	3190	3010	2864	2771	2672	2593	2511	2451	2391	2329	2288	2236	2195	
14						3610	3370	3170	3020	2894	2798	2710	2632	2573	2513	2441	2401	2349	2309	
15							3550	3340	3180	3030	2925	2838	2761	2693	2611	2563	2513	2451	2412	
16								3520	3340	3190	3060	2950	2864	2798	2730	2672	2611	2563	2511	
17									3500	3340	3210	3090	2990	2915	2848	2778	2720	2672	2611	
18										3500	3350	3230	3120	3030	2950	2884	2828	2781	2720	
19		Gallons Per Minute Capacity									3650	3500	3370	3260	3160	3080	2990	2935	2874	2828
20											3650	3520	3400	3300	3210	3120	3050	2980	2925	

**Aggreko Cooling Tower Services Tower Model AG10-1
82 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	3335	2739	2392	2162	1997	1866	1758	1672	1601	1537	1478	1426	1378	1349	1301	1265	1235			
5	3880	3083	2694	2438	2243	2103	1985	1889	1808	1734	1672	1613	1573	1526	1478	1449	1402	1366	1349	
6	4405	3444	2976	2694	2483	2323	2196	2080	1997	1915	1854	1793	1734	1695	1648	1613	1561	1526	1490	
7		3837	3248	2932	2706	2528	2381	2266	2173	2091	2020	1950	1901	1843	1804	1769	1711	1672	1636	
8		4217	3564	3166	2924	2728	2572	2449	2335	2255	2173	2114	2045	1997	1939	1901	1854	1808	1781	
9			3870	3423	3122	2924	2748	2629	2517	2415	2335	2255	2196	2127	2080	2034	1985	1939	1913	
10			4181	3684	3335	3116	2943	2793	2672	2572	2483	2403	2335	2266	2219	2162	2126	2068	2034	
11				3946	3575	3292	3085	2954	2838	2728	2629	2538	2471	2415	2346	2300	2243	2196	2150	
12				4213	3804	3510	3281	3127	2987	2868	2771	2683	2606	2538	2483	2426	2369	2323	2278	
13					4044	3717	3477	3281	3122	3020	2913	2827	2737	2672	2606	2538	2494	2437	2392	
14						3935	3673	3455	3292	3155	3049	2954	2868	2804	2739	2661	2617	2561	2517	
15							3870	3641	3466	3303	3188	3094	3009	2935	2846	2793	2739	2672	2629	
16								3837	3641	3477	3335	3216	3122	3049	2976	2913	2846	2793	2737	
17									3815	3641	3499	3368	3259	3177	3105	3027	2965	2913	2846	
18										3815	3652	3521	3401	3303	3216	3144	3083	3031	2965	
19		Gallons Per Minute Capacity									3979	3815	3673	3553	3444	3357	3259	3199	3133	3083
20											3979	3837	3706	3597	3499	3401	3325	3248	3188	

**Aggreko Cooling Tower Services Tower Model AG8-1
70 Degree Wet Bulb**

Approach	Range																				
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40		
4	2055	1688	1474	1332	1230	1150	1083	1030	986	947	911	878	849	831	801	779	761				
5	2391	1899	1660	1502	1382	1295	1223	1164	1114	1068	1030	994	969	940	911	893	864	842	831		
6	2714	2122	1833	1660	1529	1431	1353	1281	1230	1180	1142	1104	1068	1044	1015	994	962	940	918		
7		2364	2001	1806	1667	1557	1467	1396	1339	1288	1244	1201	1171	1135	1112	1090	1054	1030	1008		
8		2598	2196	1950	1801	1681	1585	1508	1439	1389	1339	1303	1260	1230	1194	1171	1142	1114	1097		
9			2384	2109	1923	1801	1693	1619	1550	1488	1438	1389	1353	1311	1281	1253	1223	1194	1178		
10			2576	2270	2055	1919	1813	1721	1646	1585	1529	1481	1439	1396	1367	1332	1310	1274	1253		
11				2431	2203	2028	1900	1820	1748	1681	1619	1564	1522	1488	1446	1417	1382	1353	1325		
12				2595	2344	2162	2021	1926	1840	1767	1707	1653	1605	1564	1529	1495	1460	1431	1403		
13				2491	2290	2142	2021	1923	1861	1795	1741	1686	1646	1605	1564	1536	1501	1474			
14					2424	2263	2129	2028	1944	1879	1820	1767	1728	1688	1639	1612	1578	1550			
15						2384	2243	2135	2035	1964	1906	1854	1808	1753	1721	1688	1646	1619			
16							2364	2243	2142	2055	1981	1923	1879	1833	1795	1753	1721	1686			
17								2350	2243	2156	2075	2008	1957	1913	1865	1827	1795	1753			
18									2350	2250	2169	2095	2035	1981	1937	1899	1868	1827			
19		Gallons Per Minute Capacity									2451	2350	2263	2189	2122	2068	2008	1971	1930	1899	
20													2451	2364	2283	2216	2156	2095	2048	2001	1964

**Aggreko Cooling Tower Services Tower Model AG8-1
74 Degree Wet Bulb**

Approach	Range																					
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40			
4	2224	1827	1595	1442	1331	1244	1172	1115	1068	1025	986	951	919	899	867	844	823					
5	2587	2055	1797	1625	1496	1402	1324	1260	1205	1156	1115	1075	1049	1017	986	966	935	911	899			
6	2937	2297	1984	1797	1655	1549	1465	1387	1331	1277	1237	1195	1156	1130	1099	1075	1041	1017	994			
7		2558	2166	1955	1804	1686	1587	1511	1449	1394	1347	1300	1268	1229	1203	1180	1141	1115	1091			
8		2812	2377	2111	1950	1819	1715	1633	1557	1503	1449	1410	1364	1331	1293	1268	1237	1205	1188			
9			2580	2282	2082	1950	1833	1753	1678	1610	1557	1503	1465	1419	1387	1356	1324	1293	1275			
10			2788	2457	2224	2077	1962	1862	1782	1715	1655	1603	1557	1511	1480	1442	1418	1379	1356			
11				2631	2384	2195	2057	1970	1892	1819	1753	1693	1648	1610	1565	1534	1496	1465	1434			
12				2809	2537	2340	2188	2085	1992	1913	1848	1789	1738	1693	1655	1618	1580	1549	1519			
13					2696	2478	2318	2188	2082	2014	1942	1885	1825	1782	1738	1693	1663	1625	1595			
14						2624	2449	2304	2195	2104	2033	1970	1913	1870	1827	1774	1745	1708	1678			
15							2580	2428	2311	2202	2126	2063	2007	1957	1898	1862	1827	1782	1753			
16								2558	2428	2318	2224	2144	2082	2033	1984	1942	1898	1862	1825			
17									2544	2428	2333	2246	2173	2118	2070	2019	1977	1942	1898			
18										2544	2435	2348	2268	2202	2144	2096	2055	2021	1977			
19		Gallons Per Minute Capacity									2653	2544	2449	2369	2297	2239	2173	2133	2089	2055		
20														2653	2558	2471	2398	2333	2268	2217	2166	2126

**Aggreko Cooling Tower Services Tower Model AG8-1
78 Degree Wet Bulb**

Approach	Range																				
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40		
4	2417	1985	1734	1567	1447	1352	1274	1212	1160	1114	1071	1033	999	978	943	917	895				
5	2812	2234	1953	1767	1626	1524	1439	1369	1310	1257	1212	1169	1140	1106	1071	1051	1016	990	978		
6	3192	2496	2157	1953	1799	1684	1592	1507	1447	1388	1344	1299	1257	1229	1194	1169	1131	1106	1080		
7		2781	2354	2125	1961	1832	1725	1642	1575	1516	1464	1413	1378	1336	1308	1282	1240	1212	1186		
8		3057	2583	2295	2119	1977	1864	1775	1692	1634	1575	1532	1482	1447	1405	1378	1344	1310	1291		
9			2805	2481	2263	2119	1992	1905	1824	1750	1692	1634	1592	1542	1507	1474	1439	1405	1386		
10			3030	2670	2417	2258	2133	2024	1937	1864	1799	1742	1692	1642	1609	1567	1541	1499	1474		
11				2860	2591	2386	2236	2141	2057	1977	1905	1840	1791	1750	1701	1667	1626	1592	1559		
12				3053	2757	2544	2378	2266	2165	2079	2008	1945	1889	1840	1799	1758	1717	1684	1651		
13					2931	2694	2520	2378	2263	2189	2111	2049	1984	1937	1889	1840	1808	1766	1734		
14						2852	2662	2504	2386	2287	2210	2141	2079	2032	1985	1928	1897	1856	1824		
15							2805	2639	2512	2394	2310	2242	2181	2127	2063	2024	1985	1937	1905		
16								2781	2639	2520	2417	2331	2263	2210	2157	2111	2063	2024	1984		
17									2765	2639	2536	2441	2362	2302	2250	2194	2149	2111	2063		
18										2765	2647	2552	2465	2394	2331	2279	2234	2197	2149		
19		Gallons Per Minute Capacity										2884	2765	2662	2575	2496	2433	2362	2318	2271	2234
20												2884	2781	2686	2607	2536	2465	2410	2354	2310	

**Aggreko Cooling Tower Services Tower Model AG8-1
82 Degree Wet Bulb**

Approach	Range																				
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40		
4	2635	2164	1890	1708	1577	1474	1389	1321	1265	1215	1168	1126	1089	1065	1028	999	976				
5	3066	2435	2129	1926	1772	1661	1568	1493	1428	1370	1321	1274	1243	1205	1168	1145	1108	1079	1065		
6	3480	2721	2351	2129	1961	1835	1735	1643	1577	1513	1465	1416	1370	1339	1302	1274	1233	1205	1177		
7		3031	2566	2316	2138	1997	1881	1790	1717	1652	1596	1541	1502	1456	1426	1398	1351	1321	1293		
8		3332	2816	2501	2310	2155	2032	1934	1845	1781	1717	1670	1616	1577	1532	1502	1465	1428	1407		
9			3057	2704	2466	2310	2171	2077	1988	1908	1844	1781	1735	1681	1643	1606	1568	1532	1511		
10			3303	2911	2635	2461	2325	2207	2111	2032	1961	1899	1845	1790	1753	1708	1679	1634	1606		
11				3117	2824	2601	2437	2334	2242	2155	2077	2005	1952	1908	1854	1817	1772	1735	1699		
12				3328	3005	2773	2592	2470	2360	2266	2189	2120	2059	2005	1961	1917	1872	1835	1799		
13					3195	2936	2747	2592	2466	2386	2301	2233	2162	2111	2059	2005	1970	1925	1890		
14						3109	2902	2730	2601	2492	2409	2334	2266	2215	2164	2102	2068	2023	1988		
15							3057	2876	2738	2609	2518	2444	2377	2319	2249	2207	2164	2111	2077		
16								3031	2876	2747	2635	2540	2466	2409	2351	2301	2249	2207	2162		
17									3014	2876	2764	2661	2575	2510	2453	2392	2342	2301	2249		
18										3014	2885	2781	2687	2609	2540	2484	2435	2395	2342		
19		Gallons Per Minute Capacity										3143	3014	2902	2807	2721	2652	2575	2527	2475	2435
20												3143	3031	2928	2842	2764	2687	2626	2566	2518	

**Aggreko Cooling Tower Services Tower Model AG6-1
70 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	1509	1239	1082	978	903	844	795	756	724	695	669	645	623	610	588	572	559			
5	1755	1394	1219	1102	1015	951	898	855	818	784	756	729	711	690	669	656	634	618	610	
6	1992	1558	1346	1219	1123	1051	993	941	903	866	839	811	784	767	745	729	706	690	674	
7		1735	1469	1326	1224	1143	1077	1025	983	946	914	882	860	833	816	800	774	756	740	
8		1907	1612	1432	1323	1234	1163	1107	1056	1020	983	956	925	903	877	860	839	818	806	
9			1750	1548	1412	1323	1243	1189	1138	1092	1056	1020	993	962	941	920	898	877	865	
10			1891	1666	1509	1409	1331	1263	1209	1163	1123	1087	1056	1025	1004	978	962	935	920	
11				1785	1617	1489	1395	1336	1284	1234	1189	1148	1118	1092	1061	1040	1015	993	973	
12				1905	1721	1587	1484	1414	1351	1297	1253	1214	1179	1148	1123	1097	1072	1051	1030	
13					1829	1681	1573	1484	1412	1366	1317	1278	1238	1209	1179	1148	1128	1102	1082	
14						1780	1661	1563	1489	1427	1379	1336	1297	1268	1239	1203	1184	1158	1138	
15							1750	1647	1568	1494	1442	1399	1361	1328	1287	1263	1239	1209	1189	
16								1735	1647	1573	1509	1454	1412	1379	1346	1317	1287	1263	1238	
17									1726	1647	1583	1523	1474	1437	1404	1369	1341	1317	1287	
18										1726	1652	1592	1538	1494	1454	1422	1394	1371	1341	
19		Gallons Per Minute Capacity									1799	1726	1661	1607	1558	1518	1474	1447	1417	1394
20											1799	1735	1676	1627	1583	1538	1504	1469	1442	

**Aggreko Cooling Tower Services Tower Model AG6-1
74 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	1633	1341	1171	1058	977	914	860	818	784	753	724	698	675	660	637	619	605			
5	1900	1509	1319	1193	1098	1029	972	925	885	849	818	790	770	747	724	710	686	669	660	
6	2156	1686	1457	1319	1215	1137	1075	1018	977	938	908	878	849	830	807	790	764	747	729	
7		1878	1590	1435	1325	1238	1165	1109	1064	1024	989	955	931	902	883	866	837	818	801	
8		2064	1745	1550	1431	1336	1259	1199	1143	1104	1064	1035	1001	977	949	931	908	885	872	
9			1894	1676	1528	1431	1345	1287	1232	1182	1143	1104	1075	1041	1018	995	972	949	936	
10			2047	1804	1633	1525	1441	1367	1308	1259	1215	1177	1143	1109	1086	1058	1041	1012	995	
11				1932	1750	1611	1510	1446	1389	1336	1287	1243	1210	1182	1149	1126	1098	1075	1053	
12				2062	1862	1718	1606	1531	1462	1404	1356	1314	1276	1243	1215	1188	1160	1137	1115	
13					1980	1820	1702	1606	1528	1479	1426	1384	1340	1308	1276	1243	1221	1193	1171	
14						1926	1798	1692	1611	1544	1493	1446	1404	1373	1341	1303	1281	1254	1232	
15							1894	1782	1697	1617	1561	1514	1473	1437	1393	1367	1341	1308	1287	
16								1878	1782	1702	1633	1574	1528	1493	1457	1426	1393	1367	1340	
17									1868	1782	1713	1649	1595	1555	1520	1482	1451	1426	1393	
18										1868	1788	1724	1665	1617	1574	1539	1509	1484	1451	
19		Gallons Per Minute Capacity									1948	1868	1798	1740	1686	1643	1595	1566	1534	1509
20											1948	1878	1814	1761	1713	1665	1627	1590	1561	

**Aggreko Cooling Tower Services Tower Model AG6-1
78 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	1775	1458	1273	1150	1062	993	935	889	852	818	787	759	733	718	692	673	657			
5	2065	1640	1434	1297	1194	1119	1056	1005	962	923	889	858	837	812	787	771	746	727	718	
6	2344	1833	1584	1434	1321	1236	1169	1107	1062	1019	987	954	923	902	877	858	831	812	793	
7		2042	1728	1560	1440	1345	1267	1206	1156	1113	1075	1038	1012	981	960	941	910	889	871	
8		2244	1897	1685	1556	1452	1369	1303	1243	1200	1156	1125	1088	1062	1032	1012	987	962	948	
9			2059	1821	1661	1556	1462	1399	1339	1285	1242	1200	1169	1132	1107	1082	1056	1032	1018	
10			2225	1960	1775	1658	1566	1486	1422	1369	1321	1279	1243	1206	1181	1150	1131	1100	1082	
11				2100	1902	1752	1641	1572	1510	1452	1399	1351	1315	1285	1249	1224	1194	1169	1144	
12				2242	2024	1868	1746	1664	1589	1526	1474	1428	1387	1351	1321	1291	1261	1236	1212	
13					2152	1978	1850	1746	1661	1607	1550	1504	1457	1422	1387	1351	1327	1297	1273	
14						2094	1955	1839	1752	1679	1623	1572	1526	1492	1458	1416	1393	1363	1339	
15							2059	1937	1844	1757	1696	1646	1601	1562	1514	1486	1458	1422	1399	
16								2042	1937	1850	1775	1711	1661	1623	1584	1550	1514	1486	1457	
17									2030	1937	1862	1792	1734	1690	1652	1611	1578	1550	1514	
18										2030	1943	1873	1810	1757	1711	1673	1640	1613	1578	
19											2117	2030	1955	1891	1833	1786	1734	1702	1667	1640
20												2117	2042	1972	1914	1862	1810	1769	1728	1696

**Aggreko Cooling Tower Services Tower Model AG6-1
82 Degree Wet Bulb**

Approach	Range																					
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40			
4	1935	1589	1387	1254	1158	1082	1019	970	929	892	857	827	799	782	755	734	716					
5	2251	1788	1563	1414	1301	1220	1151	1096	1049	1006	970	935	912	885	857	841	813	792	782			
6	2555	1998	1726	1563	1440	1348	1274	1206	1158	1111	1076	1040	1006	983	956	935	905	885	864			
7		2225	1884	1700	1569	1466	1381	1314	1261	1213	1172	1131	1103	1069	1047	1026	992	970	949			
8		2446	2067	1836	1696	1582	1492	1420	1354	1308	1261	1226	1186	1158	1124	1103	1076	1049	1033			
9			2244	1985	1811	1696	1594	1525	1460	1401	1354	1308	1274	1234	1206	1179	1151	1124	1109			
10				2425	2137	1935	1807	1707	1620	1550	1492	1440	1394	1354	1314	1287	1254	1233	1200	1179		
11					2289	2074	1909	1789	1713	1646	1582	1525	1472	1433	1401	1361	1334	1301	1274	1247		
12						2443	2206	2036	1903	1813	1733	1664	1607	1556	1511	1472	1440	1407	1374	1321		
13							2345	2156	2017	1903	1811	1752	1689	1639	1588	1550	1511	1472	1446	1414	1387	
14								2282	2131	2004	1909	1830	1769	1713	1664	1626	1589	1543	1518	1485	1460	
15									2244	2112	2010	1916	1849	1794	1745	1702	1651	1620	1589	1550	1525	
16										2225	2112	2017	1935	1865	1811	1769	1726	1689	1651	1620	1588	
17											2213	2112	2029	1953	1890	1843	1801	1756	1720	1689	1651	
18												2213	2118	2042	1972	1916	1865	1823	1788	1758	1720	
19													2308	2213	2131	2061	1998	1947	1890	1855	1817	1788
20														2308	2225	2149	2086	2029	1972	1928	1884	1849

**Aggreko Cooling Tower Services Tower Model AG4-1
70 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	962	790	690	624	576	538	507	482	462	444	427	411	398	389	375	365	356			
5	1120	889	777	703	647	607	573	545	522	500	482	465	454	440	427	418	405	394	389	
6	1271	994	859	777	716	670	634	600	576	553	535	517	500	489	476	465	450	440	430	
7		1107	937	846	781	729	687	654	627	603	583	563	549	532	521	511	494	482	472	
8		1217	1028	913	844	787	742	706	674	651	627	610	590	576	559	549	535	522	514	
9			1116	988	901	844	793	758	726	697	674	651	634	614	600	587	573	559	552	
10			1206	1063	962	899	849	806	771	742	716	693	674	654	640	624	613	597	587	
11				1138	1032	950	890	852	819	787	758	732	713	697	677	664	647	634	620	
12				1216	1098	1013	947	902	862	828	799	774	752	732	716	700	684	670	657	
13					1167	1072	1003	947	901	871	840	816	790	771	752	732	720	703	690	
14						1135	1060	997	950	910	880	852	828	809	790	768	755	739	726	
15							1116	1050	1000	953	920	893	868	847	821	806	790	771	758	
16								1107	1050	1003	962	928	901	880	859	840	821	806	790	
17									1101	1050	1010	972	940	917	896	874	856	840	821	
18										1101	1054	1016	981	953	928	907	889	875	856	
19		Gallons Per Minute Capacity									1148	1101	1060	1025	994	969	940	923	904	889
20											1148	1107	1069	1038	1010	981	959	937	920	

**Aggreko Cooling Tower Services Tower Model AG4-1
74 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	1042	855	747	675	624	583	549	522	500	480	462	445	430	421	406	395	386			
5	1212	963	841	761	701	657	620	590	565	542	522	504	491	476	462	453	438	427	421	
6	1376	1076	929	841	775	726	686	649	624	598	579	560	542	529	515	504	488	476	465	
7		1198	1014	916	845	789	743	708	679	653	631	609	594	575	564	553	534	522	511	
8		1317	1113	989	913	852	803	765	729	704	679	660	639	624	605	594	579	565	556	
9			1208	1069	975	913	858	821	786	754	729	704	686	664	649	635	620	605	597	
10			1306	1151	1042	973	919	872	834	803	775	751	729	708	693	675	664	646	635	
11				1232	1117	1028	963	923	886	852	821	793	772	754	733	718	701	686	672	
12				1316	1188	1096	1025	976	933	896	865	838	814	793	775	758	740	726	711	
13					1263	1161	1086	1025	975	943	910	883	855	834	814	793	779	761	747	
14						1229	1147	1079	1028	985	952	923	896	876	855	831	817	800	786	
15							1208	1137	1082	1031	996	966	940	917	889	872	855	834	821	
16								1198	1137	1086	1042	1004	975	952	929	910	889	872	855	
17									1191	1137	1093	1052	1018	992	970	945	926	910	889	
18										1191	1140	1099	1062	1031	1004	982	963	947	926	
19		Gallons Per Minute Capacity									1242	1191	1147	1110	1076	1048	1018	999	978	963
20											1242	1198	1157	1123	1093	1062	1038	1014	996	

**Aggreko Cooling Tower Services Tower Model AG4-1
78 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	1132	930	812	734	678	633	597	567	543	522	502	484	468	458	442	429	419			
5	1317	1046	915	827	761	714	674	641	614	589	567	547	534	518	502	492	476	464	458	
6	1495	1169	1010	915	843	789	746	706	678	650	629	609	589	575	559	547	530	518	506	
7		1302	1103	995	918	858	808	769	738	710	686	662	645	626	613	601	581	567	555	
8		1432	1210	1075	993	926	873	831	793	765	738	718	694	678	658	645	629	614	605	
9			1314	1162	1060	993	933	892	854	820	793	765	746	722	706	690	674	658	649	
10			1419	1251	1132	1058	999	948	907	873	843	816	793	769	753	734	722	702	690	
11				1339	1214	1117	1047	1003	963	926	892	862	839	820	796	781	761	746	730	
12				1430	1291	1191	1114	1061	1014	974	941	911	885	862	843	824	804	789	773	
13					1373	1262	1180	1114	1060	1025	989	960	929	907	885	862	847	827	812	
14						1336	1247	1173	1117	1071	1035	1003	974	952	930	903	888	869	854	
15							1314	1236	1177	1121	1082	1050	1021	996	966	948	930	907	892	
16								1302	1236	1180	1132	1092	1060	1035	1010	989	966	948	929	
17									1295	1236	1188	1143	1106	1078	1054	1028	1006	989	966	
18										1295	1240	1195	1154	1121	1092	1067	1046	1029	1006	
19		Gallons Per Minute Capacity									1351	1295	1247	1206	1169	1140	1106	1086	1063	1046
20											1351	1302	1258	1221	1188	1154	1129	1103	1082	

**Aggreko Cooling Tower Services Tower Model AG4-1
82 Degree Wet Bulb**

Approach	Range																			
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	
4	1234	1014	885	800	739	690	650	619	592	569	547	528	510	499	481	468	457			
5	1436	1141	997	902	830	778	734	699	669	642	619	597	582	564	547	536	519	506	499	
6	1630	1274	1101	997	919	860	813	769	739	709	686	663	642	627	610	597	578	564	551	
7		1420	1202	1085	1001	935	881	838	804	774	747	722	703	682	668	655	633	619	605	
8		1560	1319	1171	1082	1009	952	906	864	834	804	782	757	739	717	703	686	669	659	
9			1432	1266	1155	1082	1017	973	931	893	864	834	813	787	769	752	734	717	708	
10			1547	1363	1234	1153	1089	1033	989	952	919	889	864	838	821	800	787	765	752	
11				1460	1323	1218	1141	1093	1050	1009	973	939	914	893	868	851	830	813	796	
12				1559	1408	1299	1214	1157	1105	1061	1025	993	964	939	919	898	877	860	843	
13					1496	1375	1287	1214	1155	1118	1078	1046	1013	989	964	939	923	902	885	
14						1456	1359	1278	1218	1167	1128	1093	1061	1038	1014	984	968	948	931	
15							1432	1347	1282	1222	1179	1145	1113	1086	1053	1033	1014	989	973	
16								1420	1347	1287	1234	1190	1155	1128	1101	1078	1053	1033	1013	
17									1412	1347	1295	1246	1206	1175	1149	1120	1097	1078	1053	
18										1412	1351	1303	1258	1222	1190	1163	1141	1122	1097	
19		Gallons Per Minute Capacity									1472	1412	1359	1315	1274	1242	1206	1184	1159	1141
20											1472	1420	1371	1331	1295	1258	1230	1202	1179	